



Browse ▾ My Settings ▾ Help ▾

Institutional Sign In

Institutional Sign In

All

 Search within Publication

ADVANCED SEARCH

Quick Links

Search for Upcoming Conferences

Browse Conferences > Electrical Power, Electronics,... > 2018 Electrical Power, Electro...



IEEE Publication Recommender

IEEE Author Center

Electrical Power, Electronics, Communications, Controls and Proceedings Seminar (EECCIS)

The proceedings of this conference will be available for purchase through Curran Associates.

Electrical Power, Electronics, Communications, Controls and Informatics Seminar (EECCIS), 2018



Print on Demand Purchase at Partner

 Copy Persistent Browse Title-List Sign up for Conference Alerts
External Hard-drive Purchase at Partner Link**Proceedings**

All Proceedings

Popular

2018 Electrical Power, Electronics, Communications, Controls and Informatics Seminar (EECCIS) [doi](#)

DOI: 10.1109/EECCIS43816.2018

9-11 Oct. 2018

Search within results



Per Page: 1 ▾ Per Page 25 ▾ | Export ▾ | Email Selected Results ▾

Showing 1-25 of 93

Filter

sort: 1 ▾ Sort Sequence ▾

| Email

Refine [Front cover]

Publication Year: 2018 , Page(s): 1 - 1

**Author** [Front cover]2018 Electrical Power, Electronics, Communications, Freely Available from IEEE
Controls and Informatics Seminar (EECCIS)
Year: 2018**Affiliation** [Copyright notice]

Publication Year: 2018 , Page(s): 1 - 1

**Quick Links**

Search for Upcoming Conferences

IEEE Publication

Recommender

IEEE Author Center

Proceedings [Copyright notice]

Publication Year: 2018 , Page(s): 1 - 11

 [Copyright notice]2018 Electrical Power, Electronics, Communications,
Controls and Informatics Seminar (EECCIS)
Year: 2018 Table of contents

Publication Year: 2018 , Page(s): 1 - 11



IEEE websites place cookies on your device to give you the best user experience. By using our websites, you agree to the placement of these cookies. To learn more, read our [Privacy Policy](#).

[Accept & Close](#)

The proceedings of this conference will be available for purchase through Curran Associates.

**Electrical Power,
Electronics,
Communications,
Controls and Informatics
Seminar (EECCIS), 2018**

Print on
Demand Purchase at
Partner

External Hard-
drive Purchase at Partner

2018 Electrical Power, Electronics, Communications,
Controls and Informatics Seminar (EECCIS)
Year: 2018



Author index

Publication Year: 2018 , Page(s): 1 - 9



 
Author index

2018 Electrical Power, Electronics, Communications,
Controls and Informatics Seminar (EECCIS)
Year: 2018



Committee

Publication Year: 2018 , Page(s): 1 - 2



 
Committee

2018 Electrical Power, Electronics, Communications,
Controls and Informatics Seminar (EECCIS)
Year: 2018



Gratitude For Participants

Publication Year: 2018 , Page(s): 1 - 3



 
Gratitude For Participants

2018 Electrical Power, Electronics, Communications,
Controls and Informatics Seminar (EECCIS)
Year: 2018



Light Sensing Smart Blinds

Taufik Taufik; Rini Nur Hasanah

Publication Year: 2018 , Page(s): 1 - 4

Cited by: Papers (1)



 Abstract 

Light Sensing Smart Blinds

Taufik Taufik; Rini Nur Hasanah

2018 Electrical Power, Electronics, Communications,
Controls and Informatics Seminar (EECCIS)

Year: 2018



**Impact of load and speed variation to frequency variation on
single-phase self-excited induction generator**

Hari Santoso; Unggul Wibawa; Ramadhani Kurniawan Subroto;
Lunde Ardhenta

Publication Year: 2018 , Page(s): 5 - 8

Cited by: Papers (1)



 Abstract 

**Impact of load and speed variation to frequency
variation on single-phase self-excited induction
generator**

Hari Santoso; Unggul Wibawa;
Ramadhani Kurniawan Subroto; Lunde Ardhenta

2018 Electrical Power, Electronics, Communications,
Controls and Informatics Seminar (EECCIS)

Year: 2018



Optimal Placement and Sizing of Static Synchronous

Compensator (STATCOM) Using Bacterial Foraging
Optimization

► Abstract [HTML](#)

- Optimal Placement and Sizing of Static Synchronous Compensator (STATCOM) Using Bacterial Foraging Optimization



Unggul Wibawa; Hadi Suyono; Alfian Sakti Pamungkas
2018 Electrical Power, Electronics, Communications,
Controls and Informatics Seminar (EECCIS)
Year: 2018

-
- Dynamic Stability Impact of the Hybrid Wind and Microhydro Renewable Energy Sources on the Distribution System**



Hadi Suyono; Mahfudz Shidiq; Alfian Nur Ferdianzah;
Teguh Utomo; Ismail Musirin; Lilik J. Awalin
Publication Year: 2018 , Page(s): 15 - 20
Cited by: Papers (3)

► Abstract [HTML](#)

- Dynamic Stability Impact of the Hybrid Wind and Microhydro Renewable Energy Sources on the Distribution System

Hadi Suyono; Mahfudz Shidiq; Alfian Nur Ferdianzah;
Teguh Utomo; Ismail Musirin; Lilik J. Awalin
2018 Electrical Power, Electronics, Communications,
Controls and Informatics Seminar (EECCIS)
Year: 2018

-
- Optimal Design Capacitive Energy Storage (CES) for Load Frequency Control in Micro Hydro Power Plant Using Flower Pollination Algorithm**



Machrus Ali; Muhammad Ruswandi Djalal;
Muhammad Fakhrerozi; Kadaryono; Budiman; Dwi Ajatmo
Publication Year: 2018 , Page(s): 21 - 26
Cited by: Papers (2)

► Abstract [HTML](#)

- Optimal Design Capacitive Energy Storage (CES) for Load Frequency Control in Micro Hydro Power Plant Using Flower Pollination Algorithm

Machrus Ali; Muhammad Ruswandi Djalal;
Muhammad Fakhrerozi; Kadaryono; Budiman; Dwi Ajatmo
2018 Electrical Power, Electronics, Communications,
Controls and Informatics Seminar (EECCIS)
Year: 2018

-
- Setting Analysis of Over Current Relay and Ground Fault Relay on Transformer Protection System of High Voltage Substation System**



Lia Sugesti; A.N. Afandi; Hari Putranto
Publication Year: 2018 , Page(s): 27 - 31
Cited by: Papers (2)

► Abstract [HTML](#)

- Setting Analysis of Over Current Relay and Ground Fault Relay on Transformer Protection System of High Voltage Substation System

Lia Sugesti; A.N. Afandi; Hari Putranto
2018 Electrical Power, Electronics, Communications,
Controls and Informatics Seminar (EECCIS)
Year: 2018

Source Penetration on South of Sulawesi Power System

Handrea Bernardo Tambunan; Putu Agus Aditya Pramana;

Buyung Sofiarto Munir

Publication Year: 2018 , Page(s): 32 - 35

Cited by: Papers (4)

[► Abstract](#) [HTML](#)  

- Analysis of Maximum Intermittent Renewable Energy Source Penetration on South of Sulawesi Power System 

Handrea Bernardo Tambunan; Putu Agus Aditya Pramana;
Buyung Sofiarto Munir
2018 Electrical Power, Electronics, Communications,
Controls and Informatics Seminar (EECCIS)
Year: 2018

-
- Mitigation Voltage Sag/Swell and Harmonics Using DVR Supplied by BES and PV System** 

Agus Kiswantono; Eko Prasetyo; Amirullah

Publication Year: 2018 , Page(s): 36 - 41

Cited by: Papers (3)

[► Abstract](#) [HTML](#)  

- Mitigation Voltage Sag/Swell and Harmonics Using DVR Supplied by BES and PV System 

Agus Kiswantono; Eko Prasetyo; Amirullah
2018 Electrical Power, Electronics, Communications,
Controls and Informatics Seminar (EECCIS)
Year: 2018

-
- Validation of Solar Inverter Testing Procedure for Stand-Alone PV Systems** 

Oo Abdul Rosyid; Nelly Malik Lande; Fariz M. Rizanulhaq

Publication Year: 2018 , Page(s): 42 - 45

Cited by: Papers (1)

[► Abstract](#) [HTML](#)  

- Validation of Solar Inverter Testing Procedure for Stand-Alone PV Systems 

Oo Abdul Rosyid; Nelly Malik Lande; Fariz M. Rizanulhaq
2018 Electrical Power, Electronics, Communications,
Controls and Informatics Seminar (EECCIS)
Year: 2018

-
- Cloud Charge Impacts on Thunderstorm Algorithm Performances Considering the Scheduled Power Output Optimization Problem** 

Arif N. Afandi; Irham Fadlika; Langlang Gumilar;

Yunis Sulistyorini; C.W.A. Farrel; R.S.A. Michiko

Publication Year: 2018 , Page(s): 46 - 51

Cited by: Papers (2)

[► Abstract](#) [HTML](#)  

- Cloud Charge Impacts on Thunderstorm Algorithm Performances Considering the Scheduled Power Output Optimization Problem 

Arif N. Afandi; Irham Fadlika; Langlang Gumilar;

Yunis Sulistyorini; C.W.A. Farrel; R.S.A. Michiko

2018 Electrical Power, Electronics, Communications,

Controls and Informatics Seminar (EECCIS)

Year: 2018

Vinsensius Letsoin; Faizal Arya Samman;

A. Ejah Umraeni Salam

Publication Year: 2018 , Page(s): 52 - 57

Cited by: Papers (2)

► Abstract [HTML](#)  



- Three-Phase DC-AC Inverter with Low Power Dissipation Filter for Photovoltaic-Based Micro-Grid Scale Electric Power System

Vinsensius Letsoin; Faizal Arya Samman;

A. Ejah Umraeni Salam

2018 Electrical Power, Electronics, Communications,

Controls and Informatics Seminar (EECCIS)

Year: 2018

-
- Flux Density Distribution and Cogging Action Using Reluctance Network Equivalent in Simple Magnetic Circuit with the Air Gap**



Mochammad Rusli; I.N.G. Wardana; Moch Agus Choiron;

Muhammad Aziz Muslim

Publication Year: 2018 , Page(s): 58 - 63

► Abstract [HTML](#)  



- Flux Density Distribution and Cogging Action Using Reluctance Network Equivalent in Simple Magnetic Circuit with the Air Gap

Mochammad Rusli; I.N.G. Wardana; Moch Agus Choiron;

Muhammad Aziz Muslim

2018 Electrical Power, Electronics, Communications,

Controls and Informatics Seminar (EECCIS)

Year: 2018

-
- Study of Cogging Forces in A Ladder-secondary Double-sided Linear Induction Motor (DSLIM) for Asymmetry Primary Placement**



Mochammad Rusli; I.N.G. Wardana; Moch Agus Choiron;

Muhammad Aziz Muslim

Publication Year: 2018 , Page(s): 64 - 67

► Abstract [HTML](#)  



- Study of Cogging Forces in A Ladder-secondary Double-sided Linear Induction Motor (DSLIM) for Asymmetry Primary Placement

Mochammad Rusli; I.N.G. Wardana; Moch Agus Choiron;

Muhammad Aziz Muslim

2018 Electrical Power, Electronics, Communications,

Controls and Informatics Seminar (EECCIS)

Year: 2018

-
- The Design of Radial Flux Permanent Magnet Generator on Low Speed Wind Turbine to Reduce Cogging Torque**



Adeguna Ridlo Pramurti; Olnes Yosefa Hutajulu

Publication Year: 2018 , Page(s): 68 - 72

► Abstract [HTML](#)  



- The Design of Radial Flux Permanent Magnet Generator on Low Speed Wind Turbine to Reduce Cogging Torque

Adeguna Ridlo Pramurti; Olnes Yosefa Hutajulu

2018 Electrical Power, Electronics, Communications,

Controls and Informatics Seminar (EECCIS)

Year: 2018

Around the Edge of Plane-Plane Electrodes

Rian Nurdiansyah; Umar Khayam

Publication Year: 2018 , Page(s): 73 - 78

[► Abstract](#) [HTML](#)  

- Surface Discharge Characteristics on the Mica Surface Around the Edge of Plane-Plane Electrodes** 

Rian Nurdiansyah; Umar Khayam
2018 Electrical Power, Electronics, Communications,
Controls and Informatics Seminar (EECCIS)
Year: 2018

-
- Discharge Characteristics of Acrylic Surface Around the Needle Tip of Needle-Plane Electrodes** 

Neris Peri Ardiansyah; Umar Khayam
Publication Year: 2018 , Page(s): 79 - 84
Cited by: Papers (1)

[► Abstract](#) [HTML](#)  

- Discharge Characteristics of Acrylic Surface Around the Needle Tip of Needle-Plane Electrodes** 

Neris Peri Ardiansyah; Umar Khayam
2018 Electrical Power, Electronics, Communications,
Controls and Informatics Seminar (EECCIS)
Year: 2018

-
- Low Power Electrical Generator from Soil Microbial Fuel Cell** 

Mulyadi; Rika Wahyuni Arsianti
Publication Year: 2018 , Page(s): 85 - 89
Cited by: Papers (2)

[► Abstract](#) [HTML](#)  

- Low Power Electrical Generator from Soil Microbial Fuel Cell** 

Mulyadi; Rika Wahyuni Arsianti
2018 Electrical Power, Electronics, Communications,
Controls and Informatics Seminar (EECCIS)
Year: 2018

-
- Implementing Moore's Model of Interaction in Flipped-Class Intruction** 

Zamzami Zainuddin; Hardika Dwi Hermawan; Suseno Mahardiko
Publication Year: 2018 , Page(s): 90 - 95

[► Abstract](#) [HTML](#)  

- Implementing Moore's Model of Interaction in Flipped-Class Intruction** 

Zamzami Zainuddin; Hardika Dwi Hermawan;
Suseno Mahardiko
2018 Electrical Power, Electronics, Communications,
Controls and Informatics Seminar (EECCIS)
Year: 2018

-
- Fast Charging Batteries Simulation based on Capacitor Model Change of Resistance Due to Internal Deposition** 

Sparisoma Viridi; Hendro; Felix Pasila
Publication Year: 2018 , Page(s): 96 - 101

Cited by: Papers (1)



Browse ▾ My Settings ▾ Help ▾

Institutional Sign In

Institutional Sign In

All

 Search within Publication

ADVANCED SEARCH

Quick Links

Search for Upcoming Conferences

Browse Conferences > Electrical Power, Electronics,... > 2018 Electrical Power, Electro...



IEEE Publication Recommender

IEEE Author Center

Electrical Power, Electronics, Communications, Controls and Proceedings Seminar (EECCIS)

The proceedings of this conference will be available for purchase through Curran Associates.

Electrical Power, Electronics, Communications, Controls and Informatics Seminar (EECCIS), 2018

Print on Demand Purchase at Partner



Copy Persistent Browse Title-List Sign up for Conference Alerts
External Hard-drive Purchase at Partner Link

Proceedings

All Proceedings

Popular

2018 Electrical Power, Electronics, Communications, Controls and Informatics Seminar (EECCIS)

DOI: 10.1109/EECCIS43816.2018

9-11 Oct. 2018

Search within results

Export ▾ | Email Selected Results ▾

Elta Sonalitha

| Email

Refine

- Comparative Analysis of Tsukamoto and Mamdani Fuzzy Inference System on Market Matching to Determine the Number of Exports for MSMEs

Elta Sonalitha; Bambang Nurdewanto; Salinan Ratih;

Nadia Roosmalita Sari; Aries Boedi Setiawan; Pindo Tutuko

Publication Year: 2018 , Page(s): 440 - 445

Cited by: Papers (2)

Abstract HTML

- Comparative Analysis of Tsukamoto and Mamdani Fuzzy Inference System on Market Matching to Determine the Number of Exports for MSMEs

Elta Sonalitha; Bambang Nurdewanto; Salinan Ratih;

Nadia Roosmalita Sari; Aries Boedi Setiawan; Pindo Tutuko

2018 Electrical Power, Electronics, Communications,

Controls and Informatics Seminar (EECCIS)

Year: 2018

Quick Links

Search for Upcoming Conferences

IEEE Publication Recommender

IEEE Author Center

Proceedings

The proceedings of this conference will be available for purchase through Curran Associates.

**Electrical Power,
Electronics,
Communications,
Controls and Informatics
Seminar (EECCIS), 2018**

Print on

Demand Purchase at Partner

External Hard-drive Purchase at Partner

IEEE Personal Account

CHANGE
USERNAME/PASSWORD

Purchase Details

PAYMENT OPTIONS
VIEW PURCHASED
DOCUMENTS

Profile Information

COMMUNICATIONS
PREFERENCES
PROFESSION AND
EDUCATION
TECHNICAL INTERESTS

[About IEEE Xplore](#) | [Contact Us](#) | [Help](#) | [Accessibility](#) | [Terms of Use](#) | [Nondiscrimination Policy](#) | [IEEE Ethics Reporting](#) | [Sitemap](#) | [IEEE Privacy Policy](#)

A not-for-profit organization, IEEE is the world's largest technical professional organization dedicated to advancing technology for the benefit of humanity.

© Copyright 2023 IEEE - All rights reserved.

IEEE Account

» Change Username/Password
» Update Address

Purchase Details

» Payment Options
» Order History
» View Purchased Documents

Profile Information

» Communications Preferences
» Profession and Education
» Technical Interests

Need Help?

» **US & Canada:** +1 800 678 4333
» **Worldwide:** +1 732 981 0060
» **Contact & Support**

[About IEEE Xplore](#) | [Contact Us](#) | [Help](#) | [Accessibility](#) | [Terms of Use](#) | [Nondiscrimination Policy](#) | [Sitemap](#) | [Privacy & Opting Out of Cookies](#)

A not-for-profit organization, IEEE is the world's largest technical professional organization dedicated to advancing technology for the benefit of humanity.

© Copyright 2023 IEEE - All rights reserved. Use of this web site signifies your agreement to the terms and conditions.

IEEE websites place cookies on your device to give you the best user experience. By using our websites, you agree to the placement of these cookies. To learn more, read our [Privacy Policy](#).

Accept & Close

Capacitor Model Change of Resistance Due to Internal Deposition



Sparisoma Viridi; Hendro; Felix Pasila
2018 Electrical Power, Electronics, Communications,
Controls and Informatics Seminar (EECCIS)
Year: 2018

[Load More](#)

1 2 3 4 >

IEEE Personal Account

[CHANGE
USERNAME/PASSWORD](#)

Purchase Details

[PAYMENT OPTIONS](#)
[VIEW PURCHASED
DOCUMENTS](#)

Profile Information

[COMMUNICATIONS
PREFERENCES](#)
[PROFESSION AND
EDUCATION](#)
[TECHNICAL INTERESTS](#)

Need Help?

US & CANADA: +1 800 678 4333
WORLDWIDE: +1 732 981 0060
[CONTACT & SUPPORT](#)

Follow



[About IEEE Xplore](#) | [Contact Us](#) | [Help](#) | [Accessibility](#) | [Terms of Use](#) | [Nondiscrimination Policy](#) | [IEEE Ethics Reporting](#) | [Sitemap](#) | [IEEE Privacy Policy](#)

A not-for-profit organization, IEEE is the world's largest technical professional organization dedicated to advancing technology for the benefit of humanity.

© Copyright 2023 IEEE - All rights reserved.

IEEE Account

[» Change Username/Password](#)
[» Update Address](#)

Purchase Details

[» Payment Options](#)
[» Order History](#)
[» View Purchased Documents](#)

Profile Information

[» Communications Preferences](#)
[» Profession and Education](#)
[» Technical Interests](#)

Need Help?

[» US & Canada: +1 800 678 4333](#)
[» Worldwide: +1 732 981 0060](#)
[» Contact & Support](#)

[About IEEE Xplore](#) | [Contact Us](#) | [Help](#) | [Accessibility](#) | [Terms of Use](#) | [Nondiscrimination Policy](#) | [Sitemap](#) | [Privacy & Opting Out of Cookies](#)

A not-for-profit organization, IEEE is the world's largest technical professional organization dedicated to advancing technology for the benefit of humanity.
© Copyright 2023 IEEE - All rights reserved. Use of this web site signifies your agreement to the terms and conditions.

IEEE websites place cookies on your device to give you the best user experience. By using our websites, you agree to the placement of these cookies. To learn more, read our [Privacy Policy](#).

[Accept & Close](#)

Comparative Analysis of Tsukamoto and Mamdani Fuzzy Inference System on Market Matching to Determine the Number of Exports for MSMEs

Elta Sonalitha

Faculty of Information Technology
University Of Merdeka Malang
Malang, Indonesia
elta.sonalitha@unmer.ac.id

Nadia Roosmalita Sari

Faculty of Ushuluddin, Adab, dan
Dakwah
Institut Agama Islam Negeri (IAIN)
Tulungagung
Tulungagung, Indonesia
nadiaroosmalitasari@gmail.com

Bambang Nurdewanto

Faculty of Information Technology
University Of Merdeka Malang
Malang, Indonesia
Nurdewa@unmer.ac.id

Aries Boedi Setiawan

Department of Electrical Engineering
University of Merdeka Malang
Malang, Indonesia
aries@unmer.ac.id

Salnan Ratih

Information Technology Vocation
Universitas Brawijaya
Malang, Indonesia
salnan.ratih@gmail.com

Pindo Tutuko

Department of Architecture
University of Merdeka Malang
Malang, Indonesia
pindotutuko@unmer.ac.id

Abstract—The improvement of MSMEs export performance is one of the government's efforts to improve the economy of the community. Increased export performance is done by monitoring and controlling the amount of exports. the problem faced in determining the amount of exports is the difficulty of calculating the stock, capacity, and competition among MSMEs in influencing the amount of stock. The right amount will minimize the loss from the MSMEs side. This study uses export data of wood and other forest product sub-sector, that is commodity furniture. Fuzzy method in some study can give optimal result.. This study compares two methods to determine the effectiveness of products that benefit MSMEs. This study examines the effectiveness of Fuzzy Mamdani and Fuzzy Tsukamoto methods on market matching process. Based on this study, Fuzzy Mamdani gives a better performance than fuzzy Tsukamoto with the accuracy system is MAPE=6.49%.

Keywords—market matching, fuzzy Mamdani, fuzzy Tsukamoto, export, MAPE

I. INTRODUCTION

Micro and Small Medium Enterprises (MSMEs) are community entrepreneurs who need a lot of help in the field of management. In conducting exports, MSMEs have problems in determining the right amount of exports. The right amount of export is very influential for MSMEs, considering the limited capital. The problem that occurs when determining the amount of exports is the determination of the amount of exports done manually. This method does not consider competitive factors, resulting in the accumulation of goods if every exporter serves importer demand. This accumulation of goods resulted in losses for MSMEs in terms of production costs and materials.

The lack of information on the number of demand and supply of products in each country greatly affect the turnover of goods. For the example, there are 5 industries with the same type of products send to Australia where the demand for the product is small. Without proper information the five industries only export products regardless of the availability of products in the country. So the number of products in Australia exceeds the number of

requests. It can lead to the accumulation of products and industries suffered losses due to the lack of sales. Products with fast turnaround are goods sold out in a relatively quick time.

One of the businesses carried out by business actors is determining the right export market. Determining the right market is based on the criteria needed so as to increase profits and reduce losses due to the risk of late product changes. Exports of products to MSMEs are things that need more attention with consideration, among others: (1) financial limitations of MSMEs in producing commodities; (2) difficulties in knowing the needs of export markets; (3) difficulties in knowing the slow turnover of goods in the Market.

Market matching application for the determination of marketing location and the quantity of products that must be exported using fuzzy method is expected to reduce the number of losses due to the congestion of turnover of goods making it profitable for MSMEs.

Previous study [1] has succeeded in calculating the export amount using Fuzzy Tsukamoto method. This study aims to find a more effective method for determining the amount of exports. This study proposes the Fuzzy method to determine the right amount of exports. Fuzzy is chosen because it has a simple computation process [2]. Fuzzy has also been successfully implemented in various problems. One of them is the application of fuzzy to predict inflation rate in Indonesia. Sari, Mahmudy and Wibawa [4] combines Neural Network and Fuzzy to produce high accuracy forecasts. The accuracy of this research is RMSE=2.15 [3]. The further study, Sari, Mahmudy, and Wibawa (2017) combine Fuzzy and Neural Network with similar problems resulting in higher accuracy than previous studies RMSE = 1.81 [4]. Ghahraei, Yunus, and Halin (2017) use Fuzzy Mamdani to control the components and relative humidity. The accuracy of this research is 100% [5].

There are several studies that use fuzzy Mamdani and fuzzy Tsukamoto methods in various fields. Some studies show that fuzzy Mamdani is superior to fuzzy Tsukamoto that is to

determine software estimation [6], to determine incense production [7] and to determine the amount of *raskin* distribution in Bulog [8]. Some studies show that fuzzy Tsukamoto is superior to that of fuzzy Mamdani to diagnose tuberculosis in children [9], determining the amount of storage energy in AC [10] and reducing electrical energy consumption in washing machines [11]. In this research method fuzzy Mamdani and fuzzy Tsukamoto will be compared if applied to market matching to determine which method is most appropriate in this case. This study uses Mamdani fuzzy model as the main method which is expected to give more optimal result compared to Fuzzy Tsukamoto.

II. PROPOSED METHOD

Fuzzy logic is a study of principles and methods forming the possibility of some limitations or criteria. Fuzzy logic is a way to map an input space into an output space [12].

A. Fuzzy Set

The fuzzy set has two attributes including linguistic attributes and numeric attributes [13]. The linguistic attribute is a group of variables that is measured using natural language, while the numeric attribute is a value that indicates the size of a variable. In market matching there are 4 linguistic attributes:

- *Stock* is the amount of product inventory to the importer.
- *Capacity* is the ability of importers to receive products.
- *Competitive* is the level of competition between MSMEs for product exports.
- *Export* is the number of products that MSMEs should export.

Stock, capacity, and competitive are input variable. Export is represented as an output variable. In market matching, the fuzzy set determination and degree of membership of the fuzzy set are done in each product on each importer. There are two importers for furniture products namely Boss Limited (BL) and Century Co (CC). Each linguistic attribute has some fuzzy set:

- *Stock* consists of 3 fuzzy sets that are little, medium, many.
- *Capacity* consists of 2 fuzzy sets that are little and many.
- *Competitive* consists of 2 fuzzy sets of low and high.
- *Export* consists of 3 fuzzy sets of low, medium, high.

The value of fuzzy set “stock” on each importer can be seen in Table I.

TABLE I. MEMBERSHIP FUNCTION “STOCK”

Fuzzy Set	Importer	
	Boss Limited	Century Co
Little	[10 - 50]	[10 - 40]
Medium	[30 - 100]	[30 - 70]
Many	[80 - 150]	[60 - 120]

The membership function for fuzzy set “Stock” on Boss Limited importer can be seen in Figure 1.




Fig.1. Membership function “Stock” Boss Limited

The membership function for the fuzzy set “Stock” on Boss Limited importers can be represented in (1), (2), and (3).

$$\mu_{StockLittle}[x] = \begin{cases} 1, & x \leq 10 \\ \frac{50-x}{50-10}, & 10 < x < 50 \\ 0, & x \geq 50 \end{cases} \quad (1)$$

$$\mu_{StockMedium}[x] = \begin{cases} 0, & x \leq 30 \text{ atau } x \geq 100 \\ \frac{x-30}{65-30}, & 30 < x \leq 65 \\ \frac{100-x}{100-65}, & 65 < x < 100 \end{cases} \quad (2)$$

$$\mu_{StockMany}[x] = \begin{cases} 0, & x \leq 80 \\ \frac{x-80}{150-80}, & 80 \leq x \leq 150 \\ 1, & x \geq 150 \end{cases} \quad (3)$$

The membership function for the fuzzy set “Stock” on Century Co importers can be seen in Figure 2.




Fig. 2. Membership functions “Stock” Century Co

The membership function for the fuzzy set Stock on Century Co importers can be represented in (4), (5), and (6).

$$\mu_{StockLittle}[x] = \begin{cases} 1, & x \leq 10 \\ \frac{40-x}{40-10}, & 10 < x < 40 \\ 0, & x \geq 40 \end{cases} \quad (4)$$

$$\mu_{StockMedium}[x] = \begin{cases} 0, & x \leq 30 \text{ atau } x \geq 70 \\ \frac{x-30}{50-30}, & 30 < x \leq 50 \\ \frac{70-x}{70-50}, & 50 < x < 70 \end{cases} \quad (5)$$

$$\mu_{StockMany}[x] = \begin{cases} 0, & x \leq 60 \\ \frac{x-60}{120-60}, & 60 \leq x \leq 120 \\ 1, & x \geq 120 \end{cases} \quad (6)$$

The value of fuzzy set “capacity” on each importer can be seen on Table II.

TABLE II. MEMBERSHIP FUNCTION “CAPACITY”

Fuzzy Set	Importer	
	Boss Limited	Century Co
Little	[30 - 100]	[30 - 80]
Many	[80 - 160]	[60 - 120]

Membership function for fuzzy set “Capacity” on Boss Limited importer can be seen in Figure 3.




Fig. 3. Membership function “Capacity” Boss Limited

The membership function for the fuzzy set “Capacity“ Boss Limited importers can be represented in (7) and (8).

$$\mu_{CapacityLittle}[y] = \begin{cases} 1, & y \leq 30 \\ \frac{100-y}{100-30}, & 30 < y < 100 \\ 0, & y \geq 100 \end{cases} \quad (7)$$

$$\mu_{CapacityMany}[y] = \begin{cases} 0, & y \leq 80 \\ \frac{y-80}{160-80}, & 80 < y < 160 \\ 1, & y \geq 160 \end{cases} \quad (8)$$

Membership function for fuzzy set “Capacity” Century Co importer can be seen in Figure 4.




Fig. 4. Membership function “Capacity” Century Co

The membership function for the fuzzy set “Capacity” on Century Co importers can be represented as follows.

$$\mu_{CapacityLittle}[y] = \begin{cases} 1, & y \leq 30 \\ \frac{80-y}{80-30}, & 30 < y < 80 \\ 0, & y \geq 80 \end{cases} \quad (9)$$

$$\mu_{CapacityMany}[y] = \begin{cases} 0, & y \leq 60 \\ \frac{y-60}{130-60}, & 60 < y < 130 \\ 1, & y \geq 130 \end{cases} \quad (10)$$

“Competitive” fuzzy set value on each importer can be seen in Table III.

TABLE III.

MEMBERSHIP FUNCTION “COMPETITIVE”

Fuzzy Set	Importer	
	Boss Limited	Century Co
Low	[1 - 5]	[1 - 5]
High	[3 - 10]	[4 - 10]

Membership function for the Competitive fuzzy set on Boss Limited importers can be seen on Figure 5.




Fig. 5. Membership function “Competitive” Boss Limited

The membership function for the Competitive fuzzy set on Boss Limited importers can be represented in (11) and (12).

$$\mu_{CompetitiveLow}[z] = \begin{cases} 1, & z \leq 1 \\ \frac{5-z}{5-1}, & 1 < z < 5 \\ 0, & z \geq 5 \end{cases} \quad (11)$$

$$\mu_{CompetitiveHigh}[z] = \begin{cases} 0, & z \leq 3 \\ \frac{z-3}{10-3}, & 3 < z < 10 \\ 1, & z \geq 10 \end{cases} \quad (12)$$

Membership function for fuzzy set “Competitive” at Century Co importer can be seen in Figure 6.




Fig. 6. Membership function “Competitive” Century Co

The membership function for the Competitive Fuzzy set on Century Co importers can be represented in (13) and (14).

$$\mu_{CompetitiveLow}[z] = \begin{cases} 1, & z \leq 1 \\ \frac{5-z}{5-1}, & 1 < z < 5 \\ 0, & z \geq 5 \end{cases} \quad (13)$$

$$\mu_{CompetitiveHigh}[z] = \begin{cases} 0, & z \leq 4 \\ \frac{z-4}{10-4}, & 4 < z < 10 \\ 1, & z \geq 10 \end{cases} \quad (14)$$

The value of fuzzy set of Export quantities on each importer can be seen on Table IV.

TABLE IV.

MEMBERSHIP FUNCTION “EXPORT”

Fuzzy Set	Importer	
	Boss Limited	Century Co
Low	[15 - 50]	[20 - 60]
Medium	[40 - 100]	[50 - 100]
High	[90 - 160]	[90 - 140]

Membership function for fuzzy set “Export” on Boss Limited importer can be seen in Figure 7.




Fig. 7. membership function "Export" Boss Limited

The membership function for the fuzzy set "Export" on Boss Limited importers can be represented in (15), (16), and (17).

$$\mu_{ExportLow}[k] = \begin{cases} 1, & k \leq 15 \\ \frac{50-k}{50-15}, & 15 < k < 50 \\ 0, & k \geq 50 \end{cases} \quad (15)$$

$$\mu_{ExportMedium}[k] = \begin{cases} 0, & k \leq 40 \text{ atau } k \geq 100 \\ \frac{k-40}{70-40}, & 40 < k \leq 70 \\ \frac{100-k}{100-70}, & 70 < k < 100 \end{cases} \quad (16)$$

$$\mu_{ExportHigh}[k] = \begin{cases} 0, & k \leq 90 \\ \frac{k-90}{160-90}, & 90 < k < 160 \\ 1, & k \geq 160 \end{cases} \quad (17)$$

Membership function for fuzzy set "Export" on Century Co importer can be seen in Figure 8.




Fig. 8. Membership function "Export" Century Co

The membership function for the fuzzy set "Export" on Century Co importers can be represented in (18), (19), and (20).

$$\mu_{ExportLow}[k] = \begin{cases} 1, & k \leq 20 \\ \frac{60-k}{60-20}, & 20 < k < 60 \\ 0, & k \geq 60 \end{cases} \quad (18)$$

$$\mu_{ExportMedium}[k] = \begin{cases} 0, & k \leq 50 \text{ atau } k \geq 100 \\ \frac{k-50}{75-50}, & 50 < k \leq 75 \\ \frac{100-k}{100-75}, & 75 < k < 100 \end{cases} \quad (19)$$

$$\mu_{ExportHigh}[k] = \begin{cases} 0, & k \leq 90 \\ \frac{k-90}{140-90}, & 90 < k < 140 \\ 1, & k \geq 140 \end{cases} \quad (20)$$

B. Fuzzification

In this study the data used can be seen in Table V. The data used in this study were obtained from several companies, namely Boss Limited and Century Co.

TABLE V. DATA SET

Variable	Importer	
	Boss Limited (BL)	Century Co (CC)
Stock	12	30
Capacity	200	150
Competitive	2	3

The results of fuzzification calculations for stock variables on Boss Limited importers with a value of 12 and Century Co with a value of 30 shown in Table VI.

TABLE VI. FUZZIFICATION RESULT "STOCK"

"Stock" Fuzzy Set	Fuzzification Result	
	BL	CC
$\mu_{StockLittle}[x]$	0.95	0.33
$\mu_{StockMedium}[x]$	0	0
$\mu_{StockMany}[x]$	0	0

While on the capacity variable, fuzzification calculation result between Boss Limited and Century Co is shown in Table VII.

TABLE VII. FUZZIFICATION RESULT "CAPACITY"

"Capacity" Fuzzy Set	Fuzzification Result	
	BL	CC
$\mu_{CapacityLittle}[y]$	0	0
$\mu_{CapacityMany}[y]$	1	1

The results of fuzzification calculations for competitive variables on importers Boss Limited and Century Co are shown in Table VIII.

TABLE VIII. FUZZIFICATION RESULT "COMPETITIVE"

"Competitive" Fuzzy Set	Fuzzification Result	
	BL	CC
$\mu_{CompetitiveLow}[z]$	0.75	0.5
$\mu_{CompetitiveHigh}[z]$	0	0

C. Fuzzy Inference Rules

After the calculation results obtained in the fuzzification process, the next process is inference fuzzy rules. The implication function used is MIN [14]. This study uses fuzzy rules as many as 12 rules. The combination of fuzzy rules is shown in (21). In (21), X represents each variable (Stock, Capacity, Competitive, and Export). Whereas A represents the fuzzy set (Low, Medium, High, Many, and Little). R is rules and $i = 1, 2, 3, \dots$.

$$[R_i] \text{ IF } X_i \text{ is } A_i \text{ AND } X_i \text{ is } A_i \text{ AND } X_i \text{ is } A_i \text{ THEN } X_i \text{ is } A_i \quad (21)$$

The method used in determining fuzzy rules is an interview with experts in the field of UMKM goods exports of goods management. Some of the fuzzy rules used in this study are shown in Table IX.

TABLE IX. FUZZY RULES

[Ri]	Stock	Capacity	Competitive	Export
1	Little	Little	Low	Low
2	Little	Little	High	Low
3	Little	Many	Low	High
4	Little	Many	High	Medium
5	Medium	Little	Low	Low
6	Medium	Little	High	Low
7	Medium	Many	Low	High
8	Medium	Many	High	Medium
9	Many	Little	Low	Medium
10	Many	Little	High	Low
11	Many	Many	low	High
12	Many	Many	High	Low

Decision determination begins with the process of calculating the degree of membership parameter values in each set that exists in each rule. The value of α -predicate depends on the operator used. On the AND operator, the value α -predicate given " $X_i \text{ is } A_i \text{ AND } X_i \text{ is } A_i$ " formulated in (22).

$$\alpha_i = \mu_{A1 \cap A2} = \min(\mu_{A1}(X_1), \mu_{A2}(X_2)) \quad (22)$$

D. Defuzzification

To get the output value (crisp) is to convert the input into a number in the fuzzy set domain. Fuzzy Tsukamoto uses a centralized mean defuzzification (23), while fuzzy Mamdani uses the centroid method (24).

$$Z = \sum_{i=1}^n \alpha_i k_i \frac{\sum_{i=1}^n \alpha_i k_i}{\sum_{i=1}^n \alpha_i} \quad (23)$$

$$Z = \frac{\sum_{j=1}^n k_j \mu(k_j)}{\sum_{j=1}^n \mu(k_j)} \quad (24)$$

III. EXPERIMENT RESULT

A. Fuzzy Tsukamoto

The inference process on Tsukamoto's fuzzy implements the MIN function for each rule. The result of inference process calculation is obtaining the value of α -predicate on each rule. The calculation results are shown in Table X.

[R1] IF stock is Little AND capacity is Little AND competitive is Low THEN export is Low

$$\begin{aligned} \alpha - predicate &= \mu_{StockLittle} \cap \mu_{CapacityLittle} \\ &\cap \mu_{CompetitiveLow} \end{aligned}$$

$$= \min(\mu_{StockLittle}(12), \mu_{CapacityLittle}(200)), \\ \mu_{CompetitiveLow}(2) = \min(0.95; 0; 0.75) = 0$$

$$0 = \frac{50 - k_1}{50 - 15}; k_1 = 50$$

TABLE X. FUZZIFICATION RESULT "COMPETITIVE"

[Ri]	Boss Limited (BL)			Century Co (CC)		
	α	k	$\alpha'k$	α	k	$\alpha'k$
1	0	50	0	0	60	0
2	0	50	0	0	60	0
3	0.75	142.5	106.88	0.33	106	34.98
4	0	40	0	0	50	0
5	0	50	0	0	60	0
6	0	50	0	0	60	0
7	0	90	0	0	90	0
8	0	40	0	0	50	0
9	0	40	0	0	50	0
10	0	50	0	0	60	0
11	0	90	0	0	90	0
12	0	50	0	0	60	0
	0.75		106.88	0.33		34.98
Z	142.5			106		

Based on the calculation result using (22) and (23), we get the final value of defuzzification for BL = 142.5 dan CC = 106.

B. Fuzzy Mamdani

The inference process on fuzzy Mamdani is similar to Tsukamoto's fuzzy. So the resulting α -predicate value is the same as Tsukamoto's fuzzy (Table X). But in the process of calculating the final value (defuzzification), fuzzy Mamdani using centroid method (24).

The stages in finding the final value (crisp) on Boss Limited using a centroid defuzzification are described as follows.

Composition rule using max function obtained:




Fig. 9. Membership function "Export" Boss Limited

$$\frac{a1-90}{160-90} = 0.33; a1 = 142.5$$

The new membership functions "Export" are as follows.

$$\mu_{Export}[k] = \begin{cases} 0, & k \leq 90 \\ \frac{k-90}{160-90}, & 90 \leq k \leq 142.5 \\ 0.75, & k \geq 142.5 \end{cases} \quad (25)$$

The moments for each region are:

$$M1 = \int_{90}^{142.5} \frac{j-90}{70} jdj = 2919.4$$

$$M2 = \int_{142.5}^{160} 0.75jdj = 1985.16$$

The large for each area is:

$$A1 = \frac{1}{2}(142.5 - 90)(0.75) = 19.7$$

$$A2 = (160 - 142.5)(0.75) = 13.125$$

Central point obtained:

$$j = \frac{2919.4 + 1985.16}{19.7 + 13.125} = 149$$

The defuzzification process on Century Co importers is as follows. Composition rule using max function obtained:




Fig. 10. Membership function "Export" Century Co

$$\frac{a1-90}{140-90} = 0.33; a1 = 106.5$$

The new membership functions "Export" are as follows:

$$\mu_{Export}[k] = \begin{cases} 0, & k \leq 90 \\ \frac{k-90}{140-90}, & 90 \leq k \leq 106.5 \\ 0.33, & k \geq 106.5 \end{cases} \quad (26)$$

The moments for each area are:

$$M1 = \int_{90}^{106.5} \frac{j-90}{50} jdj = 290.93$$

$$M2 = \int_{106.5}^{140} 0.33jdj = 1362.52$$

The large for each area is:

$$A1 = \frac{1}{2}(106.5 - 90)(0.33) = 2.73$$

$$A2 = (140 - 106.5)(0.33) = 11.1$$

Central point obtained:

$$j = \frac{290.93 + 1362.52}{2.73 + 11.1} = 119$$

The results of analysis to determine the amount of export in each importer for furniture products using fuzzy Tsukamoto and fuzzy Mamdani can be seen in Table XI.

TABLE XI. RESULT ANALYSIS OF TSUKAMOTO AND MAMDANI METHOD

Variable	Importer	
	Boss Limited	Century Co
Stock	12	30
Capacity	200	150
Competitive	2	3
Export	188	120
Export (Tsukamoto)	142.5	106
Export (Mamdani)	149	119

To measure the accuracy of Mamdani and Tsukamoto method, Mean Absolute Percentage Error (MAPE) is used to calculate the expected target value difference with method measurement value. The MAPE formula is shown in (27) [15], [16].

$$MAPE = \frac{1}{n} \sum_{i=1}^n \left| \frac{e_i}{wd_i} \right| \times 100 \quad (27)$$

Where "e" is the expected target difference with the measurement method and "wd" is the expected target value. Based on Table VI, the MAPE value for Tsukamoto method calculation is as follows.

$$MAPE_{Tsukamoto} = \frac{1}{2} \left(\frac{(188 - 142.5) + (120 - 106)}{188 + 120} \right) = 9.65\%$$

While MAPE value for Mamdani method calculation is as follows.

$$MAPE_{Mamdani} = \frac{1}{2} \left(\frac{(188 - 149) + (120 - 119)}{188 + 120} \right) = 6.49\%$$

The MAPE value generated by fuzzy Mamdani and fuzzy Tsukamoto is still below 10%. This shows the accuracy obtained high. Based on MAPE calculations, it can be concluded that the proposed method (fuzzy Mamdani) has a better performance compared to Tsukamoto's fuzzy.

IV. CONCLUSION

Fuzzy Mamdani and fuzzy Tsukamoto are very good for determining export quantity because MAPE value is still below 10%. In the case of determining the amount of Mamdani fuzzy

export is more optimal with MAPE value = 6.94% compared with Tsukamoto fuzzy with MAPE value 9.42%. This proves that Fuzzy Inference System Mamdani is more appropriate to be used to determine export quantity. Accuracy in this study can still be improved again. The determination of fuzzy membership restrictions in this study is still determined based on expert opinion. It could be the determination of membership function is not fit. Therefore, further research will be optimized on the fuzzy membership function so that the resulting accuracy can be higher than the current accuracy [2].

REFERENCES

- [1] B. Nurdewanto, E. Sonalitha, F. Amrullah, and S. Ratih, "Aplikasi Market Matching Berbasis Fuzzy sebagai Penunjang Keputusan Ekspor Produk UMKM (Market Matching Application Based Fuzzy as Supporting MSMEs Product Export Decision)," *MATICS*, vol. 9, no. 2, p. 58, Dec. 2017.
- [2] W. F. Mahmudy, "Solving Flexible Job-Shop Scheduling Problem Using Improved Real Coded Genetic Algorithms," in *International Conference on Science and Technology for Sustainability*, 2014, pp. 181–188.
- [3] N. R. Sari, W. F. Mahmudy, and A. P. Wibawa, "The Effectiveness of Hybrid Backpropagation Neural Network Model and TSK Fuzzy Inference System for Inflation Forecasting," *J. Telecommun. Electron. Comput. Eng. JTEC*, vol. 9, no. 2, pp. 111–117, 2017.
- [4] N. R. Sari, W. F. Mahmudy, A. P. Wibawa, and E. Sonalitha, "Enabling External Factors for Inflation Rate Forecasting Using Fuzzy Neural System," *Int. J. Electr. Comput. Eng. IJECE*, vol. 7, no. 5, p. 2746, Oct. 2017.
- [5] A. Ghahraei, N. A. M. Yunus, I. A. Halin, and N. Sulaiman, "Fuzzy-Controlled Humidity Variation by Silica Gel and Nitrogen Gas in an Atmospheric Chamber," *Pertanika Journal Science and Technology*, vol. 25, no. S, pp. 133–142, 2017.
- [6] B. Al-Shboul, H. Faris, and N. Ghatasheh, "Initializing genetic programming using fuzzy clustering and its application in churn prediction in the telecom industry," *Malays. J. Comput. Sci.*, vol. 28, no. 3, 2015.
- [7] N. R. Sari, W. F. Mahmudy, and A. P. Wibawa, "Mengukur Performa Model TSK Fuzzy Logic Menggunakan Faktor Eksternal untuk Peramalan Laju Inflasi (Measuring the Performance of Fuzzy Logic TSK Model Using External Factors for Inflation Rate Forecasting)," *MATICS*, vol. 9, no. 1, p. 27, Mar. 2017.
- [8] N. R. Sari and W. F. Mahmudy, "Fuzzy inference system Tsukamoto untuk menentukan kelayakan calon pegawai (FIS Tsukamoto for Determine Eligibility of Prospective Employees)," presented at the Seminar Nasional Sistem Informasi Indonesia (SESINDO 2015), Institut Teknologi Sepuluh Nopember (ITS), 2017, pp. 245–252.
- [9] M. V. Shcherbakov, A. Brebels, N. L. Shcherbakova, A. P. Tyukov, T. A. Janovsky, and V. A. Kamaev, "A survey of forecast error measures," *World Appl. Sci. J.*, vol. 24, pp. 171–176, 2013.
- [10] U. Khair, H. Fahmi, S. A. Hakim, and R. Rahim, "Forecasting Error Calculation with Mean Absolute Deviation and Mean Absolute Percentage Error," *J. Phys. Conf. Ser.*, vol. 930, p. 12002, Dec. 2017.